

PELICAN™

**SWAP IN A
NEW BATTERY,
CONQUER
ANOTHER
WORKSITE.**

**NEW: PELICAN 9480 AND 9490
REMOTE AREA LIGHTING SYSTEMS**

**9490
RALS**

**9480
RALS**



USA
Pelican Products, Inc.
23215 Early Avenue
Torrance, CA 90505
Tel 310-326-4700
Fax 310-326-3311
Toll Free 800-473-5422

**FREE POSTCARDS WITH
YOUR LOGO IMPRINT!**

Go to: pelican.com/dealers

NEW: Pelican™ 9480 and 9490 Remote Area Lighting Systems

With Pelican's quick release swappable Power Pack (12 volt power supply), you'll have continuous light through your entire shift. Illuminate confined spaces or deploy the mast with its 340° articulating head to light large work areas. Both models come with a detachable shoulder

strap to help you move quickly to the next worksite.

The new Pelican™ 9480 and 9490 RALS:
Available for overtime.



Swappable power pack w/12v aux. port adapter for smartphones, laptops, etc.



23.75" (60.3 cm)



72" (183 cm)

**Free
Bluetooth
iPhone™ App
Controls
Multiple
Units**

9480 RALS

- Up to 4,000 lumens (calculated)
- Up to 28 hours of run time
- 3 pre-set light levels
- Full time battery level indication with low level flashing indicator

9490 RALS

- Up to 6,000 lumens (calculated)
- Up to 24 hours of run time
- Intelligent Control (allows for various light output levels)
- Full time battery level indication with low level flashing indicator



All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its subsidiaries and/or affiliates.

WWW.PELICAN.COM

CANADA

Pelican Products ULC
10221-184th Street
Edmonton, Alberta T5S 2J4
Tel: +780-481-6076
Fax: +780-481-9586
Toll Free: 866-273-5422

FREE POSTCARDS WITH YOUR LOGO IMPRINT!

Go to: pelican.com/dealers


NEW: Pelican™ 9480 and 9490 Remote Area Lighting Systems

With Pelican's quick release swappable Power Pack (12 volt power supply), you'll have continuous light through your entire shift. Illuminate confined spaces or deploy the mast with its 340° articulating head to light large work areas. Both models come with a detachable shoulder

strap to help you move quickly to the next worksite.

The new Pelican™ 9480 and 9490 RALS:
Available for overtime.

Swappable power pack w/12v aux. port adapter for smartphones, laptops, etc.



Free Bluetooth iPhone™ App Controls Multiple Units



23.75" (60.3 cm)

9480 RALS

- Up to 4,000 lumens (calculated)
- Up to 28 hours of run time
- 3 pre-set light levels
- Full time battery level indication with low level flashing indicator



72" (183 cm)

9490 RALS

- Up to 6,000 lumens (calculated)
- Up to 24 hours of run time
- Intelligent Control (allows for various light output levels)
- Full time battery level indication with low level flashing indicator



All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its subsidiaries and/or affiliates.

WWW.PELICAN.CA

AUSTRALIA

Pelican Products Pty Ltd
Suite 2.33, Platinum West
4 Ilya Avenue, Erina NSW 2250
Tel: +612 4367 7022 • Fax: +612 4367 7066
infoAustralia@pelican.com

FREE POSTCARDS WITH YOUR LOGO IMPRINT!


Go to: pelican.com/dealers

NEW: Pelican™ 9480 and 9490 Remote Area Lighting Systems

With Pelican's quick release swappable Power Pack (12 volt power supply), you'll have continuous light through your entire shift. Illuminate confined spaces or deploy the mast with its 340° articulating head to light large work areas. Both models come with a detachable shoulder strap to help you move quickly to the next worksite.

The new Pelican™ 9480 and 9490 RALS:
Available for overtime.

Swappable power pack w/12v aux. port adapter for smartphones, laptops, etc.



Free Bluetooth iPhone™ App Controls Multiple Units



23.75" (60.3 cm)

9480 RALS

- Up to 4,000 lumens (calculated)
- Up to 28 hours of run time
- 3 pre-set light levels
- Full time battery level indication with low level flashing indicator



72" (183 cm)

9490 RALS

- Up to 6,000 lumens (calculated)
- Up to 24 hours of run time
- Intelligent Control (allows for various light output levels)
- Full time battery level indication with low level flashing indicator



All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its subsidiaries and/or affiliates.

WWW.PELICANAUSTRALIA.COM